



IN_LINE LINEA 205





Code	Product Lumen	Power Watt	Color T (K)	CRI	Color
06.2050.6.930.WH	406	6	3000	>90	White
06.2050.6.930.BK	406	6	3000	>90	Black
06.2050.6.940.WH	435	6	4000	>90	White
06.2050.6.940.BK	435	6	4000	>90	Black




MATERIAL | AL PC

» 318

IN_LINE LINEA 407




Code	Product Lumen	Power Watt	Color T (K)	CRI	Color
06.4070.11.930.WH	782	11	3000	>90	White
06.4070.11.930.BK	782	11	3000	>90	Black
06.4070.11.940.WH	810	11	4000	>90	White
06.4070.11.940.BK	810	11	4000	>90	Black



MATERIAL | AL PC

» 318

IN_LINE LINEA 800



Code	Product Lumen	Power Watt	Color T (K)	CRI	Color
06.8000.18.930.WH	1450	18	3000	>90	White
06.8000.18.930.BK	1450	18	3000	>90	Black
06.8000.18.940.WH	1495	18	4000	>90	White
06.8000.18.940.BK	1495	18	4000	>90	Black



MATERIAL | AL PC


» 318



IN_LINE COMFORT 69



Code	Product Lumen	Power Watt	Color T (K)	CRI	Color
06.0691.4.930.BK	273	4	3000	>90	Black
06.0691.4.940.BK	330	4	4000	>90	Black




MATERIAL | AL ○ PC

i » 318

IN_LINE COMFORT 137



Code	Product Lumen	Power Watt	Color T (K)	CRI	Color
06.1371.8.930.BK	557	8	3000	>90	Black
06.1371.8.940.BK	684	8	4000	>90	Black




MATERIAL | AL ○ PC

i » 318

IN_LINE COMFORT 205



Code	Product Lumen	Power Watt	Color T (K)	CRI	Color
06.2051.12.930.WH	850	12	3000	>90	White
06.2051.12.930.BK	850	12	3000	>90	Black
06.2051.12.940.WH	850	12	4000	>90	White
06.2051.12.940.BK	850	12	4000	>90	Black




MATERIAL | AL ○ PC

i » 318

IN_LINE COMFORT 407



Code	Product Lumen	Power Watt	Color T (K)	CRI	Color
06.4071.20.930.WH	1700	20	3000	>90	White
06.4071.20.930.BK	1700	20	3000	>90	Black
06.4071.20.940.WH	1700	20	4000	>90	White
06.4071.20.940.BK	1700	20	4000	>90	Black




MATERIAL | AL ○ PC

i » 318

IN_LINE WALL WASHER 205



Code	Product Lumen	Power Watt	Color T (K)	CRI	Color
06.2055.10.930.BK	990	10	3000	>90	Black
06.2055.10.940.BK	1025	10	4000	>90	Black



MATERIAL | AL ○ PC


i » 318



IN_LINE TUB XS A22 X2




Code	Product Lumen	Power Watt	Color T (K)	CRI	Color
06.2221.4.930.WH	2 x 90	2 x 2	3000	>90	White
06.2221.4.930.BK	2 x 90	2 x 2	3000	>90	Black
06.2221.4.930.BR	2 x 77	2 x 2	3000	>90	Brass
06.2221.4.930.CR	2 x 77	2 x 2	3000	>90	Chrome




MATERIAL | AL PC


» 318




06.2221.4.930.WH




06.2221.4.930.BK





06.2221.4.930.BR



06.2221.4.930.CR



IN_LINE COMFORT B 205





Code	Product Lumen	Power Watt	Color T (K)	CRI	Color
06.2052.12.930.BK	850	12	3000	>90	Black
06.2052.12.940.BK	850	12	4000	>90	Black



MATERIAL | AL PC

» 318

IN_LINE LINEA B 205



Code	Product Lumen	Power Watt	Color T (K)	CRI	Color
06.2053.6.930.WH	410	6	3000	>90	White
06.2053.6.930.BK	410	6	3000	>90	Black
06.2053.6.940.WH	424	6	4000	>90	White
06.2053.6.940.BK	424	6	4000	>90	Black




MATERIAL | AL PC

» 318



IN_LINE LED INDIRECT




Code	Product Lumen	Power Watt	Color T (K)	CRI	Color
06.SUPPCB.930	1450	12	3000	>90	White
06.SUPPCB.940	1450	12	4000	>90	White

LED CE ENE IP20 48V EXCL 110° -LEDs/cut 15/175mm

MATERIAL | AL PC

» 318








Code	Dimensions (mm): LxWxH	Color
06.SUPCOV	1000 x 24 x 5,3	Transparent



LED CE IP20

MATERIAL | PC


» 318



IN_LINE TUB XS A 48




Code	Product Lumen	Power Watt	Color T (K)	CRI	Color
06.0248.02.930.WH	112	2,1	3000	>90	White
06.0248.02.930.BK	112	2,1	3000	>90	Black



MATERIAL | AL PC

» 318






06.0248.02.930.WH



06.0248.02.930.BK



IN_LINE TUB S A 60



Code	Product Lumen	Power Watt	Color T (K)	CRI	Color
06.0361.8.930.WH	570	5,4	3000	>90	White
06.0361.8.930.BK	570	5,4	3000	>90	Black
06.0361.8.930.WHW	570	5,4	3000	>90	White/White
06.0361.8.930.BR	570	5,4	3000	>90	Brass
06.0361.8.930.CR	570	5,4	3000	>90	Chrome
NEW 06.0361.8.930.DB	570	5,4	3000	>90	Diamond black
NEW 06.0361.8.930.SB	570	5,4	3000	>90	Sahara beige
06.0361.8.940.WH	620	5,4	4000	>90	White
06.0361.8.940.BK	620	5,4	4000	>90	Black
06.0361.8.940.WHW	620	5,4	4000	>90	White/White
06.0361.8.940.BR	620	5,4	4000	>90	Brass
06.0361.8.940.CR	620	5,4	4000	>90	Chrome
NEW 06.0361.8.940.DB	620	5,4	4000	>90	Diamond black
NEW 06.0361.8.940.SB	620	5,4	4000	>90	Sahara beige



MATERIAL | AL PC

[i](#) » 318


ACCESSORIES

	Honeycomb	06.A03HC
	Lens 24°	06.A03LS24
	Lens 32°	06.A03LS32

[i](#) » 313



06.0361.8.930.BR



06.0361.8.930.CR




06.0361.8.930.DB



06.0361.8.930.SB

IN_LINE TUB S A 60 X2



Code	Product Lumen	Power Watt	Color T (K)	CRI	Color
06.2301.14.930.WH	2 x 504	2 x 4,5	3000	>90	White
06.2301.14.930.BK	2 x 504	2 x 4,5	3000	>90	Black
06.2301.14.930.BR	2 x 504	2 x 4,5	3000	>90	Brass
06.2301.14.930.CR	2 x 504	2 x 4,5	3000	>90	Chrome
NEW 06.2301.14.930.DB	2 x 504	2 x 4,5	3000	>90	Diamond black
NEW 06.2301.14.930.SB	2 x 504	2 x 4,5	3000	>90	Sahara beige
06.2301.14.940.WH	2 x 536	2 x 4,5	4000	>90	White
06.2301.14.940.BK	2 x 536	2 x 4,5	4000	>90	Black
06.2301.14.940.BR	2 x 536	2 x 4,5	4000	>90	Brass
06.2301.14.940.CR	2 x 536	2 x 4,5	4000	>90	Chrome
NEW 06.2301.14.940.DB	2 x 536	2 x 4,5	4000	>90	Diamond black
NEW 06.2301.14.940.SB	2 x 536	2 x 4,5	4000	>90	Sahara beige



MATERIAL | AL PC


[i](#) » 318

ACCESSORIES



	Honeycomb	06.A03HC
	Lens 24°	06.A03LS24
	Lens 32°	06.A03LS32

[i](#) » 313

IN_LINE ZOOM S




Code	Product Lumen	Power Watt	Color T (K)	CRI	Color
06.0369.6.930.WH	228 - 307	5,4	3000	>90	White
06.0369.6.930.BK	228 - 307	5,4	3000	>90	Black
06.0369.6.940.WH	240 - 322	5,4	4000	>90	White
06.0369.6.940.BK	240 - 322	5,4	4000	>90	Black




MATERIAL | AL PC

» 318

IN_LINE TUB M NB



Code	Product Lumen	Power Watt	Color T (K)	CRI	Color
06.0595.9.930.WH	640	10	3000	>90	White
06.0595.9.930.BK	640	10	3000	>90	Black
06.0595.9.940.WH	640	10	4000	>90	White
06.0595.9.940.BK	640	10	4000	>90	Black





MATERIAL | AL PC

» 318

IN_LINE ZOOM




Code	Product Lumen	Power Watt	Color T (K)	CRI	Color
06.0599.13.930.WH	615 - 1040	13	3000	>90	White
06.0599.13.930.BK	615 - 1040	13	3000	>90	Black
06.0599.13.940.WH	615 - 1040	13	4000	>90	White
06.0599.13.940.BK	615 - 1040	13	4000	>90	Black




MATERIAL | AL PC


» 318




06.0369.6.930.WH




06.0369.6.930.BK



06.0599.13.930.WH



06.0599.13.930.BK




06.0595.9.930.WH



06.0595.9.930.BK

IN_LINE GALLERY





Code	Product Lumen	Power Watt	Color T (K)	CRI	Color
06.5160.13.930.WH	600	6,3	3000	>90	White
06.5160.13.930.BK	600	6,3	3000	>90	Black
06.5160.13.940.WH	620	6,3	4000	>90	White
06.5160.13.940.BK	620	6,3	4000	>90	Black




MATERIAL | AL PC

» 318

A (mm)	H (mm)	φ (mm)
1000	320	500
2000	630	990
3000	950	1490




06.5160.13.930.WH



06.5160.13.930.BK



IN_LINE TUB M A 90



Code	Product Lumen	Power Watt	Color T (K)	CRI	Color
06.0591.14.930.WH	1210	10,8	3000	>90	White
06.0591.14.930.BK	1210	10,8	3000	>90	Black
06.0591.14.930.WHW	1210	10,8	3000	>90	White/White
06.0591.14.930.BR	1210	10,8	3000	>90	Brass
06.0591.14.930.CR	1210	10,8	3000	>90	Chrome
NEW 06.0591.14.930.DB	1210	10,8	3000	>90	Diamond black
NEW 06.0591.14.930.SB	1210	10,8	3000	>90	Sahara beige
06.0591.14.940.WH	1320	10,8	4000	>90	White
06.0591.14.940.BK	1320	10,8	4000	>90	Black
06.0591.14.940.WHW	1320	10,8	4000	>90	White/White
06.0591.14.940.BR	1320	10,8	4000	>90	Brass
06.0591.14.940.CR	1320	10,8	4000	>90	Chrome
NEW 06.0591.14.940.DB	1320	10,8	4000	>90	Diamond black
NEW 06.0591.14.940.SB	1320	10,8	4000	>90	Sahara beige




MATERIAL | AL PC

[i](#) » 318



06.0591.14.930.WHW



06.0591.14.930.BK



06.0591.14.930.SB



06.0591.14.930.BR



06.0591.14.930.CR




06.0591.14.930.DB


ACCESSORIES

	Shield TUB M Copper	06.A05SH.CP
	Shield TUB M Brass	06.A05SH.BR
	Shield L TUB M Copper	06.A05SHL.CP
	Shield L TUB M Brass	06.A05SHL.BR
	Wall washer	06.A05WW
	Snoot, black	06.A05NB
	Foggy cover	06.A05FG
	Honeycomb	06.A05HC
	Elips diffuser	06.A05ELPS
	Foggy diffuser	06.A05SFT
	Lens 15°	06.A05LS15
	Lens 30°	06.A05LS30

[i](#) » 313



IN_LINE TUB M A 140



Code	Product Lumen	Power Watt	Color T (K)	CRI	Color
06.0514.19.930.WH	1640	19	3000	>90	White
06.0514.19.930.BK	1640	19	3000	>90	Black
06.0514.19.940.WH	1885	19	4000	>90	White
06.0514.19.940.BK	1885	19	4000	>90	Black



MATERIAL | AL PC

» 318

ACCESSORIES

	Shield TUB M Copper	06.A05SH.CP
	Shield TUB M Brass	06.A05SH.BR
	Shield L TUB M Copper	06.A05SHL.CP
	Shield L TUB M Brass	06.A05SHL.BR
	Wall washer	06.A05WW
	Snoot, black	06.A05NB
	Foggy cover	06.A05FG
	Honeycomb	06.A05HC
	Elips diffuser	06.A05ELPS
	Foggy diffuser	06.A05SFT
	Lens 15°	06.A05LS15
	Lens 30°	06.A05LS30

» 313



06.0514.19.930.WH




06.0514.19.930.BK



IN_LINE SOL MINI



Code	Product Lumen	Power Watt	Color T (K)	CRI	Color
06.7526.7.930.WH	640	7	3000	>90	White
06.7526.7.930.BK	640	7	3000	>90	Black
06.7526.7.940.WH	695	7	4000	>90	White
06.7526.7.940.BK	695	7	4000	>90	Black



MATERIAL | AL ○ PC


» 318

ACCESSORIES

	Replaceable ring. White color	SOL M RING WHITE
	Replaceable ring. Black color	SOL M RING BLACK
	Replaceable ring. Copper color	SOL M RING COPPER
	Replaceable ring. Brass color	SOL M RING BRASS
	Replaceable ring. Chrome color	SOL M RING CHROME
	Replaceable ring. Diamond black color	SOL M RING DIAMOND BLACK

NEW

» 313




06.7526.7.930.WH + SOL M RING BRASS

06.7526.7.930.WH + SOL M RING COPPER

06.7526.7.930.WH + SOL M RING CHROME

06.7526.7.930.WH + SOL M RING DIAMOND BLACK



06.7526.7.930.BK + SOL M RING BRASS

06.7526.7.930.BK + SOL M RING COPPER


06.7526.7.930.BK + SOL M RING CHROME

06.7526.7.930.WH + SOL M RING DIAMOND BLACK

IN_LINE SOL



Code	Product Lumen	Power Watt	Color T (K)	CRI	Color
06.9533.14.930.WH	1210	10,8	3000	>90	White
06.9533.14.930.BK	1210	10,8	3000	>90	Black
06.9533.14.940.WH	1320	10,8	4000	>90	White
06.9533.14.940.BK	1320	10,8	4000	>90	Black



MATERIAL | AL ○ PC

» 318

ACCESSORIES

	Replaceable ring. White color	SOL RING WHITE
	Replaceable ring. Black color	SOL RING BLACK
	Replaceable ring. Copper color	SOL RING COPPER
	Replaceable ring. Brass color	SOL RING BRASS
	Replaceable ring. Chrome color	SOL RING CHROME
	Replaceable ring. Diamond black color	SOL RING DIAMOND BLACK

NEW

» 313

	Lens 12*	06.A09LS12
--	----------	------------



06.9533.14.930.WH + SOL RING BRASS

06.9533.14.930.WH + SOL RING COPPER

06.9533.14.930.WH + SOL RING CHROME

06.9533.14.930.WH + SOL RING DIAMOND BLACK





06.9533.14.930.BK + SOL RING BRASS

06.9533.14.930.BK + SOL RING COPPER


06.9533.14.930.BK + SOL RING CHROME

06.9533.14.930.BK + SOL RING DIAMOND BLACK

IN_LINE WIN




Code	Product Lumen	Power Watt	Color T (K)	CRI	Color
06.win.3.930.BK	1800	3	3000	>90	Black



MATERIAL | AL GL

» 318

IN_LINE SFERA




Code	Product Lumen	Power Watt	Color T (K)	CRI	Color
06.1001.5.930.WH	498	5	3000	>90	White




MATERIAL | AL GL

» 318

IN_LINE ART



Code	Product Lumen	Power Watt	Color T (K)	CRI	Color
06.2420.14.930.BK	750	14	3000	>90	Black



MATERIAL | AL PC


» 318



IN_LINE STICKS



Code	Product Lumen	Power Watt	Color T (K)	CRI	Color
06.8003.20.830.BK	2400	20	3000	>90	Black




MATERIAL | AL PC


» 318



IN_LINE BALL M




Code	Product Lumen	Power Watt	Color T (K)	CRI	Color
06.1000.7.930.WH	590	7	3000	>90	White
06.1000.7.930.BK	590	7	3000	>90	Black




MATERIAL | AL GL

i » 318

IN_LINE BALL L





Code	Product Lumen	Power Watt	Color T (K)	CRI	Color
06.1800.28.930.WH	2181	28	3000	>90	White
06.1800.28.930.BK	2181	28	3000	>90	Black



MATERIAL | AL GL

i » 318



06.1000.7.930.WH



06.1000.7.930.BK



06.1800.28.930.WH

06.1800.28.930.BK

IN_LINE TUB XS P




Code	Product Lumen	Power Watt	Color T (K)	CRI	Color
06.0160.2.930.WH	137	2,4	3000	>90	White
06.0160.2.930.BK	137	2,4	3000	>90	Black
06.0160.2.930.BR	137	2,4	3000	>90	Brass



MATERIAL | AL PC


» 318




06.0160.2.930.WH

06.0160.2.930.BK

06.0160.2.930.BR



IN_LINE MATCH 450




Code	Product Lumen	Power Watt	Color T (K)	CRI	Color
06.0340.7.930.BR	415	7	3000	>90	Brass
06.0340.7.940.BR	415	7	4000	>90	Brass



MATERIAL | BR PC

» 318

IN_LINE MATCH 550



Code	Product Lumen	Power Watt	Color T (K)	CRI	Color
06.0350.7.930.BR	415	7	3000	>90	Brass
06.0350.7.940.BR	415	7	4000	>90	Brass





MATERIAL | BR PC

» 318



IN_LINE TUB S P 200



Code	Product Lumen	Power Watt	Color T (K)	CRI	Color
06.0320.8.930.WH	558	8	3000	>90	White
06.0320.8.930.BK	558	8	3000	>90	Black
06.0320.8.930.BR	558	8	3000	>90	Brass
NEW 06.0320.8.930.DB	558	8	3000	>90	Diamond black
06.0320.8.940.WH	558	8	4000	>90	White
06.0320.8.940.BK	558	8	4000	>90	Black
06.0320.8.940.BR	558	8	4000	>90	Brass
NEW 06.0320.8.940.DB	558	8	4000	>90	Diamond black



MATERIAL | AL ○ PC

[i](#) » 318

ACCESSORIES

	Honeycomb	06.A03HC
	Lens 24°	06.A03LS24
	Lens 32°	06.A03LS32

[i](#) » 313





06.0320.8.930.WH

06.0320.8.930.BK

06.0320.8.930.BR

06.0320.8.930.DB

IN_LINE TUB S P 300



Code	Product Lumen	Power Watt	Color T (K)	CRI	Color
06.0331.8.930.WH	389	8	3000	>90	White
06.0331.8.930.BK	389	8	3000	>90	Black
NEW 06.0331.8.930.BR	389	8	3000	>90	Brass
06.0331.8.940.WH	474	8	4000	>90	White
06.0331.8.940.BK	474	8	4000	>90	Black
NEW 06.0331.8.940.BR	474	8	4000	>90	Brass




MATERIAL | AL ○ PC

[i](#) » 318

ACCESSORIES

	Honeycomb	06.A03HC
	Lens 24°	06.A03LS24
	Lens 32°	06.A03LS32

[i](#) » 313




06.0331.8.930.WH

06.0331.8.930.BK

06.0331.8.930.BR

IN_LINE TUB S P 600



Code	Product Lumen	Power Watt	Color T (K)	CRI	Color
06.0360.8.930.WH	657	8	3000	>90	White
06.0360.8.930.BK	657	8	3000	>90	Black
06.0360.8.930.BR	657	8	3000	>90	Brass
06.0360.8.940.WH	657	8	4000	>90	White
06.0360.8.940.BK	657	8	4000	>90	Black
06.0360.8.940.BR	657	8	4000	>90	Brass




MATERIAL | AL ○ PC

[i](#) » 318

ACCESSORIES

	Honeycomb	06.A03HC
	Lens 24°	06.A03LS24
	Lens 32°	06.A03LS32

[i](#) » 313




06.0360.8.930.WH

06.0360.8.930.BK

06.0360.8.930.BR

IN_LINE TUB S P 300 ZOOM



Code	Product Lumen	Power Watt	Color T (K)	CRI	Color
06.0339.6.930.WH	228 - 307	5,4	3000	>90	White
06.0339.6.930.BK	228 - 307	5,4	3000	>90	Black
06.0339.6.940.WH	228 - 307	5,4	4000	>90	White
06.0339.6.940.BK	228 - 307	5,4	4000	>90	Black



MATERIAL | AL ○ PC

[i](#) » 318



06.0339.6.930.WH

06.0339.6.930.BK

IN_LINE TUB M P 200



Code	Product Lumen	Power Watt	Color T (K)	CRI	Color
06.0521.19.930.WH	1280	10,8	3000	>90	White
06.0521.19.930.BK	1280	10,8	3000	>90	Black
06.0521.19.940.WH	1348	10,8	4000	>90	White
06.0521.19.940.BK	1348	10,8	4000	>90	Black




MATERIAL | AL ○ PC

» 318

ACCESSORIES

	Shield TUB M Copper	06.A05SH.CP
	Shield TUB M Brass	06.A05SH.BR
	Shield L TUB M Copper	06.A05SHL.CP
	Shield L TUB M Brass	06.A05SHL.BR
	Wall washer	06.A05WW
	Snoot, black	06.A05NB
	Foggy cover	06.A05FG
	Honeycomb	06.A05HC
	Elips diffuser	06.A05ELPS
	Foggy diffuser	06.A05SFT
	Lens 15°	06.A05LS15
	Lens 30°	06.A05LS30

» 313



IN_LINE TUB M P 200 ZOOM




Code	Product Lumen	Power Watt	Color T (K)	CRI	Color
06.0529.13.930.WH	615-1040	13	3000	>90	White
06.0529.13.930.BK	615-1040	13	3000	>90	Black
06.0529.13.940.WH	615-1040	13	4000	>90	White
06.0529.13.940.BK	615-1040	13	4000	>90	Black



MATERIAL | AL ○ PC

» 318



06.0521.19.930.WH + 06.A05SH.CP



06.0521.19.930.BK + 06.A05SH.CP




06.0521.19.930.WH + 06.A05SHL.BR



06.0521.19.930.BK + 06.A05SHL.BR




06.0521.19.930.WH + 06.A05SH.CP



06.0521.19.930.BK + 06.A05SH.CP




06.0521.19.930.WH + 06.A05SHL.CP



06.0521.19.930.BK + 06.A05SHL.CP



06.0529.13.930.WH




06.0529.13.930.BK

IN_LINE CONE



Code	Product Lumen	Power Watt	Color T (K)	CRI	Color
06.3200.12.930.BK	715	12	3000	>90	Black



LED CE ENE IP20 48V EXCL opal


MATERIAL | AL PC

» 318

IN_LINE DISK



Code	Product Lumen	Power Watt	Color T (K)	CRI	Color
06.1570.15.930.BK	715	15	3000	>90	Black




LED CE ENE IP20 48V EXCL opal

MATERIAL | AL PC

» 318








SERIES LUMINAIRES IN_LINE TUNABLE WHITE

The IN_LINE TRACK series features luminaires with Tunable White (TW) color temperature and brightness control technology from 2700K to 6500K. Dimming and color temperature changes are controlled separately from each other.

IN_LINE LINEA 205 TW




Code	Product Lumen	Power Watt	Color T (K)	CRI	Color
06.2050.6.TW.WH	419 - 435	6	2700 - 6500	>90	White
06.2050.6.TW.BK	419 - 435	6	2700 - 6500	>90	Black




MATERIAL |

» 318

IN_LINE LINEA 407 TW




Code	Product Lumen	Power Watt	Color T (K)	CRI	Color
06.4070.11.TW.WH	733 - 834	11	2700 - 6500	>90	White
06.4070.11.TW.BK	733 - 834	11	2700 - 6500	>90	Black




MATERIAL |

» 318

IN_LINE COMFORT 205 TW



Code	Product Lumen	Power Watt	Color T (K)	CRI	Color
06.2051.10.TW.WH	563 - 632	10	2700 - 6500	>90	White
06.2051.10.TW.BK	563 - 632	10	2700 - 6500	>90	Black





MATERIAL |

» 318

IN_LINE COMFORT B 205 TW



Code	Product Lumen	Power Watt	Color T (K)	CRI	Color
06.2052.10.TW.BK	563 - 632	10	2700 - 6500	>90	Black




MATERIAL |

» 318

IN_LINE LINEA B 205 TW




Code	Product Lumen	Power Watt	Color T (K)	CRI	Color
06.2053.6.TW.WH	419 - 435	10	2700 - 6500	>90	White
06.2053.6.TW.BK	419 - 435	10	2700 - 6500	>90	Black



MATERIAL |

» 318




06.2053.6.TW.WH

06.2053.6.TW.BK

IN_LINE TUB S A 60 TW



Code	Product Lumen	Power Watt	Color T (K)	CRI	Color
06.0361.6.TW.WH	393 - 454	6,3	2700 - 6500	>90	White
06.0361.6.TW.BK	393 - 454	6,3	2700 - 6500	>90	Black




MATERIAL | AL PC i » 318

IN_LINE TUB S A 140 TW



Code	Product Lumen	Power Watt	Color T (K)	CRI	Color
06.0514.18.TW.WH	1140 - 1386	18	2700 - 6500	>90	White
06.0514.18.TW.BK	1140 - 1386	18	2700 - 6500	>90	Black




MATERIAL | AL PC i » 318

IN_LINE TUB S A 90 TW



Code	Product Lumen	Power Watt	Color T (K)	CRI	Color
06.0591.13.TW.WH	840 - 994	13	2700 - 6500	>90	White
06.0591.13.TW.BK	840 - 994	13	2700 - 6500	>90	Black




MATERIAL | AL PC i » 318

ACCESSORIES

- Shield TUB M Copper 06.A05SH.CP
- Shield TUB M Brass 06.A05SH.BR
- Shield L TUB M Copper 06.A05SHL.CP
- Shield L TUB M Brass 06.A05SHL.BR
- Wall washer 06.A05WW
- Snoot, black 06.A05NB
- Foggy cover 06.A05FG
- Honeycomb 06.A05HC
- Elips diffuser 06.A05ELPS
- Foggy diffuser 06.A05SFT
- Lens 15° 06.A05LS15
- Lens 50° 06.A05LS50

i » 313




06.0361.6.TW.WH

06.0361.6.TW.BK

06.0591.13.TW.WH



06.0591.13.TW.BK



06.0514.18.TW.WH

06.0514.18.TW.BK

IN_LINE SOL TW




Code	Product Lumen	Power Watt	Color T (K)	CRI	Color
06.9533.13.TW.WH	881 - 1025	13	2700 - 6500	>90	White
06.9533.13.TW.BK	881 - 1025	13	2700 - 6500	>90	Black

MATERIAL | AL PC » 318

ACCESSORIES

	Replaceable ring. White color	SOL RING WHITE
	Replaceable ring. Black color	SOL RING BLACK
	Replaceable ring. Copper color	SOL RING COPPER
	Replaceable ring. Brass color	SOL RING BRASS
	Replaceable ring. Chrome color	SOL RING CHROME
	Replaceable ring. Diamond black color	SOL RING DIAMOND BLACK
	Lens 12°	06.A09LS12
	Lens 38°	06.A09LS38

» 313




06.9533.13.TW .BK + SOL RING BRASS

06.9533.13.TW.BK + SOL RING COPPER

06.9533.13.TW.BK + SOL RING CHROME

06.9533.13.TW.BK + SOL RING DIAMOND BLACK



Connected App is a smartphone and tablet app that allows you to control lighting installed on WIZ devices.

To get started with the WIZ app, you'll need to:

- Install WIZ lamps or fixtures in your home or office.
- They should be connected to Wi-Fi.
- Download the WIZ Connected App on your smartphone or tablet. The app is available for free on iOS and Android devices.
- Register on the app and set up your account.

After registration, you'll be prompted to add all the WIZ devices you want to control to the app. You can do this by following the instructions in the app.



2700K



3000K



4000K



6500K